

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Lockfast H42
UFI : 9610-Y0CF-N00G-N59C
Type of product : adhesives
Product group : Adhesives, sealants

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Industrial use, Professional use, Consumer use
Function or use category : Adhesives, binding agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cyanotec Ltd
Bay 2 Building 62, Third Avenue,
Pensnett Trading Estate,
Kingswinford,
West Midlands DY6 7XT United Kingdom

Tel: +44 (0)1384 294753
Email: sales@cyanotec.com

1.4. Emergency telephone number

Emergency number : +44 (0) 1384 294753 (Monday - Thursday 9:00 to 17:00)
IN CASE OF TOXIC OR TRANSPORT EMERGENCY:
National Chemical Emergency Centre: Telephone 01865 407333

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|--|--|--------------------------------------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H335

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause respiratory irritation. Causes serious eye irritation.

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Contains :

CUMENE HYDROPEROXIDE

Hazard statements (CLP) :

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

Precautionary statements (CLP) :

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 - Use only outdoors or in a well-ventilated area.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements :

EUH208 - Contains HYDROQUINONE MONOMETHYL ETHER(150-76-5), 1-ACETYL-2-PHENYLHYDRAZINE(114-83-0), 2,2'(4-METHYLPHENYLIMINO)DIETHANOL(3077-12-1). May produce an allergic reaction.

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------------------|--|-----------|---|
| CUMENE HYDROPEROXIDE | CAS-No.: 80-15-9 EC-No.: 201-254-7 EC Index-No.: 617-002-00-8 REACH-no: 01-2119475796-19 | 0.5 – 2.5 | Org. Perox. E, H242 Acute Tox. 3 (Inhalation), H331 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 STOT RE 2, H373 Skin Corr. 1B, H314 Aquatic Chronic 2, H411 |
| HYDROQUINONE MONOMETHYL ETHER | CAS-No.: 150-76-5 EC-No.: 205-769-8 EC Index-No.: 604-044-00-7 REACH-no: 01-2119541813-40 | 0.1 – 1 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 |

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------------------------|---|---------|---|
| 1-ACETYL-2-PHENYLHYDRAZINE | CAS-No.: 114-83-0 | 0.1 – 1 | Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 |
| N,N-DIMETHYL-P-TOLUIDINE | CAS-No.: 99-97-8 EC-No.: 202-805-4 EC Index-No.: 612-056-00-9 REACH-no: 01-2119937766-23 | 0.1 – 1 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT RE 2, H373 Aquatic Chronic 3, H412 |
| 2,2'(4-METHYLPHENYLIMINO)DIETHANOL | CAS-No.: 3077-12-1 EC-No.: 221-359-1 | 0.1 – 1 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|----------------------|---|---|
| CUMENE HYDROPEROXIDE | CAS-No.: 80-15-9 EC-No.: 201-254-7 EC Index-No.: 617-002-00-8 REACH-no: 01-2119475796-19 | (0 <C < 10) STOT SE 3, H335 (1 ≤C < 3) Eye Irrit. 2, H319 (3 ≤C < 10) Skin Irrit. 2, H315 (3 ≤C < 10) Eye Dam. 1, H318 (10 ≤C ≤ 100) Skin Corr. 1B, H314 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Call a poison center or a doctor if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|------------------------------------|-------------------------------------|
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after eye contact | : Eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|---|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a water jet since it may cause the fire to spread. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Ventilate area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Incompatible products : Oxidizing agent.

7.3. Specific end use(s)

adhesives.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

HYDROQUINONE MONOMETHYL ETHER (150-76-5)

Belgium - Occupational Exposure Limits

| | |
|------------|----------------------------------|
| Local name | 4-Méthoxyphénol # 4-Methoxyfenol |
|------------|----------------------------------|

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| HYDROQUINONE MONOMETHYL ETHER (150-76-5) | |
|--|---|
| OEL TWA | 5 mg/m ³ |
| Regulatory reference | Koninklijk besluit/Arrêté royal 11/05/2021 |
| Denmark - Occupational Exposure Limits | |
| Local name | 4-Methoxyphenol (4-Hydroxyanisol) |
| OEL TWA [1] | 5 mg/m ³ |
| Regulatory reference | BEK nr 2203 af 29. november 2021 |
| France - Occupational Exposure Limits | |
| Local name | 4-Méthoxyphénol |
| VME (OEL TWA) | 5 mg/m ³ |
| Remark | Valeurs recommandées/admises |
| Regulatory reference | Circulaire du Ministère du travail (réf.: INRS ED 984, 2016) |
| Greece - Occupational Exposure Limits | |
| Local name | Μεθοξυφαινόλη, 4- |
| OEL TWA | 5 mg/m ³ |
| Regulatory reference | Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους |
| Ireland - Occupational Exposure Limits | |
| Local name | 4-Methoxyphenol [Mequinol] |
| OEL TWA [1] | 5 mg/m ³ |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| Poland - Occupational Exposure Limits | |
| Local name | 4-Metoksyfenol |
| NDS (OEL TWA) | 5 mg/m ³ |
| Remark | Skóra (Oznakowanie substancji notacją „skóra” oznacza, że wchłanianie substancji przez skórę może być tak samo istotne jak przy narażeniu drogą oddechową). |
| Regulatory reference | Dz. U. 2018 poz. 1286 |
| Portugal - Occupational Exposure Limits | |
| Local name | 4-Metoxifenol |
| OEL TWA | 5 mg/m ³ |
| Regulatory reference | Norma Portuguesa NP 1796:2014 |
| Slovenia - Occupational Exposure Limits | |
| Local name | mekinol (4-metoksifenol) |
| OEL TWA | 5 mg/m ³ |
| Regulatory reference | Uradni list RS, št. 72/2021 z dne 11.5.2021 |
| Spain - Occupational Exposure Limits | |
| Local name | 4-Metoxifenol |
| VLA-ED (OEL TWA) [1] | 5 mg/m ³ |
| Remark | Sen (Sensibilizante). |
| Regulatory reference | Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT |

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| HYDROQUINONE MONOMETHYL ETHER (150-76-5) | |
|---|--|
| Iceland - Occupational Exposure Limits | |
| Local name | 4-Metoxýfenól (4-hýdroxýanisól) |
| OEL TWA | 5 mg/m ³ |
| Regulatory reference | Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009) |
| Norway - Occupational Exposure Limits | |
| Local name | 4-metoksyfenol |
| Grænseverdi (OEL TWA) [1] | 5 mg/m ³ |
| Regulatory reference | FOR-2021-06-28-2248 |
| CUMENE HYDROPEROXIDE (80-15-9) | |
| Latvia - Occupational Exposure Limits | |
| Local name | 2-Fenil-2-propilhidroperoksīds (Kumolhidroperoksīds, kumola hidroperoksīds, kumilhidroperoksīds, izopropilbenzola hidroperoksīds, α,α dimetilbenzilhidroperoksīds) |
| OEL TWA | 1 mg/m ³ |
| Regulatory reference | Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92) |
| Lithuania - Occupational Exposure Limits | |
| Local name | Kumoleno (izopropilbenzeno) hidroperoksidas |
| IPRV (OEL TWA) | 1 mg/m ³ |
| Remark | O (medžiaga į organizmą gali prasiskverbti pro nepažeistą odą) |
| Regulatory reference | LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12) |
| Switzerland - Occupational Exposure Limits | |
| Local name | Hydroperoxyde de α,α-diméthylbenzyle / α,α-Dimethylbenzylhydroperoxid [Cumolhydroperoxid] |
| Remark | OSHA |
| Regulatory reference | www.suva.ch, 28.03.2022 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

| HYDROQUINONE MONOMETHYL ETHER (150-76-5) | |
|--|----------------------|
| DNEL/DMEL (Workers) | |
| Acute - systemic effects, inhalation | 10 mg/m ³ |
| Long-term - systemic effects, inhalation | 3 mg/m ³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 0.0136 mg/l |
| PNEC aqua (marine water) | 0.00136 mg/l |
| PNEC aqua (intermittent, freshwater) | 0.03 mg/l |
| PNEC aqua (intermittent, marine water) | 0.003 mg/l |

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| HYDROQUINONE MONOMETHYL ETHER (150-76-5) | |
|---|---------------------------|
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 0.125 mg/kg dwt |
| PNEC sediment (marine water) | 0.0125 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 0.017 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | 10 mg/l |
| 2,2'(4-METHYLPHENYLIMINO)DIETHANOL (3077-12-1) | |
| DNEL/DMEL (Workers) | |
| Long-term - systemic effects, dermal | 0.47 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 3.29 mg/m ³ |
| DNEL/DMEL (General population) | |
| Long-term - systemic effects, oral | 0.16 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 0.58 mg/m ³ |
| Long-term - systemic effects, dermal | 0.17 mg/kg bodyweight/day |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 0.0264 mg/l |
| PNEC aqua (marine water) | 0.00264 mg/l |
| PNEC aqua (intermittent, freshwater) | 0.26 mg/l |
| PNEC aqua (intermittent, marine water) | 0.0264 mg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 0.1214 mg/kg dwt |
| PNEC sediment (marine water) | 0.0121 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 0.0088 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | 10 mg/l |
| CUMENE HYDROPEROXIDE (80-15-9) | |
| DNEL/DMEL (Workers) | |
| Long-term - systemic effects, inhalation | 6 mg/m ³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 0.0031 mg/l |
| PNEC aqua (marine water) | 0.00031 mg/l |
| PNEC aqua (intermittent, freshwater) | 0.031 mg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 0.023 mg/kg dwt |
| PNEC sediment (marine water) | 0.0023 mg/kg dwt |

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CUMENE HYDROPEROXIDE (80-15-9)

PNEC (Soil)

| | |
|-----------|------------------|
| PNEC soil | 0.0029 mg/kg dwt |
|-----------|------------------|

PNEC (STP)

| | |
|-----------------------------|-----------|
| PNEC sewage treatment plant | 0.35 mg/l |
|-----------------------------|-----------|

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection

| Type | Field of application | Characteristics | Standard |
|----------------|----------------------|-------------------|----------|
| Safety glasses | | With side shields | EN 166 |

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Skin and body protection

| Type | Standard |
|---------------------|----------|
| Protective clothing | EN 14605 |

Hand protection:

Protective gloves

Hand protection

| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
|-------------------|----------------------|------------|----------------|-------------|------------|
| Disposable gloves | Nitrile rubber (NBR) | | ≥0.4 mm | | EN ISO 374 |

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Respiratory protection | | | |
|------------------------|--|-----------|----------|
| Device | Filter type | Condition | Standard |
| Full face mask | Filter A1/B1, Type A - High-boiling (>65 °C) organic compounds | | EN 14387 |

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-----------------------------|
| Physical state | : Liquid |
| Colour | : dark brown. |
| Odour | : characteristic. |
| Odour threshold | : Not available |
| Melting point | : No data available. |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Non flammable. |
| Explosive limits | : Not available |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : > 93 °C |
| Auto-ignition temperature | : No data available. |
| Decomposition temperature | : Not available |
| pH | : Not applicable. |
| Viscosity, kinematic | : Not available |
| Viscosity, dynamic | : 1200 – 2750 mPa.s at 25°C |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : 1.06 |
| Relative vapour density at 20°C | : No data available. |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

HYDROQUINONE MONOMETHYL ETHER (150-76-5)

| | |
|-----------------|---|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method) |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: other: OECD No 423 Acute Oral Toxicity – Acute Toxic Class Method |

N,N-DIMETHYL-P-TOLUIDINE (99-97-8)

| | |
|-----------------------|---|
| LD50 oral rat | 1650 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 oral | 139 mg/kg bodyweight Animal: mouse, Guideline: other: |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: |
| LC50 Inhalation - Rat | 1.4 mg/l air Animal: rat, Guideline: other: |

2,2'(4-METHYLPHENYLIMINO)DIETHANOL (3077-12-1)

| | |
|-----------------|--|
| LD50 oral rat | 959 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other: |

CUMENE HYDROPEROXIDE (80-15-9)

| | |
|-----------------------------|---------------------------------------|
| LC50 Inhalation - Rat [ppm] | 220 ppm Animal: rat, Animal sex: male |
|-----------------------------|---------------------------------------|

Skin corrosion/irritation : Not classified
pH: Not applicable.

N,N-DIMETHYL-P-TOLUIDINE (99-97-8)

| | |
|----|---|
| pH | 7.44 Temp.: 25 °C Concentration: 1 vol% |
|----|---|

Serious eye damage/irritation : Causes serious eye irritation.
pH: Not applicable.

N,N-DIMETHYL-P-TOLUIDINE (99-97-8)

| | |
|----|---|
| pH | 7.44 Temp.: 25 °C Concentration: 1 vol% |
|----|---|

Respiratory or skin sensitisation : Not classified

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|------------------------|-------------------------------------|
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause respiratory irritation. |

1-ACETYL-2-PHENYLHYDRAZINE (114-83-0)

| | |
|----------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |
|----------------------|-----------------------------------|

| | |
|------------------------|------------------|
| STOT-repeated exposure | : Not classified |
|------------------------|------------------|

HYDROQUINONE MONOMETHYL ETHER (150-76-5)

| | |
|----------------------------|--|
| LOAEL (oral, rat, 90 days) | 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:EPA OPPTS 870.3650 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
|----------------------------|--|

| | |
|----------------------------|--|
| NOAEL (oral, rat, 90 days) | 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:EPA OPPTS 870.3650 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
|----------------------------|--|

N,N-DIMETHYL-P-TOLUIDINE (99-97-8)

| | |
|------------------------|--|
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
|------------------------|--|

2,2'(4-METHYLPHENYLIMINO)DIETHANOL (3077-12-1)

| | |
|----------------------------|--|
| NOAEL (oral, rat, 90 days) | 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)), Guideline: other: |
|----------------------------|--|

CUMENE HYDROPEROXIDE (80-15-9)

| | |
|------------------------|--|
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
|------------------------|--|

| | |
|-------------------|------------------|
| Aspiration hazard | : Not classified |
|-------------------|------------------|

N,N-DIMETHYL-P-TOLUIDINE (99-97-8)

| | |
|----------------------|---------------------------|
| Viscosity, kinematic | 16.364 mm ² /s |
|----------------------|---------------------------|

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

11.2.2. Other information

| | |
|---|---------------------|
| Potential adverse human health effects and symptoms | : No data available |
|---|---------------------|

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|---|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |
| Not rapidly degradable | |

HYDROQUINONE MONOMETHYL ETHER (150-76-5)

| | |
|-----------------|--|
| LC50 - Fish [1] | 28.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
|-----------------|--|

| | |
|----------------------|--|
| EC50 - Crustacea [1] | 3 mg/l Test organisms (species): Daphnia magna |
|----------------------|--|

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| HYDROQUINONE MONOMETHYL ETHER (150-76-5) | |
|---|--|
| EC50 72h - Algae [1] | 54.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 19 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| LOEC (chronic) | > 1.45 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 0.68 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| N,N-DIMETHYL-P-TOLUIDINE (99-97-8) | |
| LC50 - Fish [1] | 46 mg/l Test organisms (species): Pimephales promelas |
| EC50 72h - Algae [1] | 2437002 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| 2,2'(4-METHYLPHENYLIMINO)DIETHANOL (3077-12-1) | |
| LC50 - Fish [1] | > 100 mg/l Test organisms (species): Cyprinus carpio |
| EC50 - Crustacea [1] | 48 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| CUMENE HYDROPEROXIDE (80-15-9) | |
| LC50 - Fish [1] | 3.9 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | 18.84 mg/l Test organisms (species): Daphnia magna |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|-----------------------------------|--|
| Regional legislation (waste) | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| European List of Waste (LoW) code | : 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances |

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|---------------|---------------|---------------|---------------|
| 14.1. UN number or ID number | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2. UN proper shipping name | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | |
|--|--|
| Reference code | Applicable on |
| 3(a) | CUMENE HYDROPEROXIDE |
| 3(b) | Lockfast H42 ; N,N-DIMETHYL-P-TOLUIDINE ; CUMENE HYDROPEROXIDE |
| 3(c) | N,N-DIMETHYL-P-TOLUIDINE ; CUMENE HYDROPEROXIDE |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

| Occupational diseases | |
|-----------------------|--|
| Code | Description |
| RG 65 | Eczematiform lesions of allergic mechanism |

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

| | |
|---------|--|
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

Full text of H- and EUH-statements:

| | |
|---------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |

Lockfast H42

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| EUH208 | Contains HYDROQUINONE MONOMETHYL ETHER(150-76-5), 1-ACETYL-2-PHENYLHYDRAZINE(114-83-0), 2,2'(4-METHYLPHENYLIMINO)DIETHANOL(3077-12-1). May produce an allergic reaction. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H242 | Heating may cause a fire. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Org. Perox. E | Organic Peroxides, Type E |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.