


PROCUREW





Revision: 07/08/2022

P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P321 - Specific treatment see Section 4 on this data sheet.

P332+313 - If skin irritation occurs, get medical advice/attention.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P362+364 - Take off contaminated clothing and wash it before reuse.

GHS Storage and Disposal Phrases:

P403+233 - Store container tightly closed in well-ventilated place.

P405 - Store locked up.

attention and special treatment needed:

P501 - Dispose of contents/container to local, regional, national, and/or international regulations..

UFI:

2.3 Adverse Human Health Hazards not otherwise classified (HNOC) or not covered by GHS -none. Effects and Symptoms:

Section 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
5888-33-5	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate 01-2119957862-25	20.0 %	227-561-6 NA	Skin Corr. 2: H315 Eye Damage 2: H319 STOT (SE) 3: H335 Aquatic (C) 2: H411
868-77-9	2-Hydroxyethyl methacrylate 01-2119490169-29	78.0 %	212-782-2 607-124-00-X	Skin Corr. 2: H315 Skin Sens. 1: H317 Eye Damage 2: H319
2530-83-8	3-Glycidoxypropyltrimethoxysilane 01-2119513212-58	2.0 %	219-784-2 NA	Eye Damage 1: H318
24650-42-8	2,2-Dimethoxy-1,2-diphenylethan-1-one 01-2120000336-73	< 1.0 %	246-386-6 NA	Aquatic (A) 1: H400 Aquatic (C) 1: H410

Section 4. First Aid Measures

4.1 Description of First AidConsult a physician. Show this safety data sheet to the doctor in attendance. Move out of Measures:dangerous area.

		In Case of Inhalation:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
		In Case of Skin	Wash off with soap and plenty of water. Consult a physician.
		Contact:	
		In Case of Eye	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
		Contact:	Flush eyes with water as a precaution.
		In Case of Ingestion:	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
	4.2	Important Symptoms and Effects, Both	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
	4.3	Acute and Delayed: Indication of any immediate medical	No data available.
- 1			

Section 5. Fire Fighting Measures				
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.			
Flammable Properties and Hazards:	Oxides of carbon, oxides of nitrogen, irritating organic vapors. Sulphur oxides. No data available.			
Flash Pt:	> 97.00 C (206.6 F) Method Used: Estimate			
Explosive Limits: Autoignition Pt:	LEL: UEL:			
Fire Fighting Instructions:	Wear self contained breathing apparatus for fire fighting if necessary. Further information: No data available.			
	Section 6. Accidental Release Measures			
Protective Precautions Protective Equipment and Emergency Procedures:	Juse personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.			
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.			
Methods and Material For Containment and Cleaning Up:	Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.			
	Section 7. Handling and Storage			
Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see section 2.			
Precautions To Be Taken in Storing:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Light sensitive. Heat sensitive.			
Other Precautions:	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.			
Section	on 8. Exposure Controls/Personal Protection			
Exposure Parameters:				
Recommended Exposure Limits: 8.2	Semi-Solid.			
	Handle in accordance with good industrial hygiene and safety practice. Wash hands			
(Ventilation etc.):	before breaks and at the end of workday.			
	Media: Flammable Properties and Hazards: Flash Pt: Explosive Limits: Autoignition Pt: Fire Fighting Instructions: Protective Precautions Protective Equipment and Emergency Procedures: Environmental Precautions: Methods and Material For Containment and Cleaning Up: Precautions To Be Taken in Handling: Precautions To Be Taken in Storing: Other Precautions: Sectio Exposure Parameters: Recommended Exposure Limits: 8.2 osure Controls: 8.2.1 ineering Controls			

8.2.2	Personal protection equipment:			
	Eye Protection:	Safety glasses with side-shields conforming to EN166. Use equipment for eye protection		
		tested and approved under appropriate government standards such as NIOSH (US) or		
		EN 166(EU). Face shield and safety glasses. Tightly fitting safety goggles.		
	Protective Gloves:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal		
		technique (without touching glove's outer surface) to avoid skin contact with this product.		
		Dispose of contaminated gloves after use in accordance with applicable laws and good		
		laboratory practices. Wash and dry hands. Full contact.		
		Material: Nature latex/chloroprene. Minimum layer thickness: 0.6 mm Break through		
		time: 480 min. Chemical-resistant protective gloves. (EN 374)		
		Sutiable materials for short-term contact of splashes (recommended: at least protection		
		index 2, corresponding to > 30 minutes permeation time as per EN 374):		
		nitrile rubber (NBR; >=0.4 mm thickness)		
	Suitable materials for longer, direct contact (recommended: protection index 6,			
		corresponding to >480 minutes permeation time as per EN 374)		
	nitrile rubber (NBR; >=0.4mm thickness)			
		This information is based on literature references and on information provided by glove		
		manufactures, or is derived by analogy with similar substances. Please note that in		
		practice the working life of chemical- resistant protective gloves may be considerably		
		shorter than the permeation time determined in accordance with EN 374 as a result of		
		the many influencing factors (e.g. temperature). If signs of wear and tear are noticed		
		then the gloves should be replaced.		
		This recommendation is advisory only and must be evaluated by an industrial hygienist		
		and safety officer familiar with the specific situation of anticipated use by our customers.		
		It should not be construed as offering an approval for any specific use scenario.		
	Other Protective	Impervious clothing. The type of protective equipment must be selected according to the		
	Clothing: concentration and amount of the dangerous substance at the specific workplac			
	suitable protective clothing.			
	Protective clothing should conform to EN 14605 for liquid splashes or to EN 1			
		dusts.		
	Respiratory Equipmen			
	(Specify Type):	Use only in well-ventilated areas.		
		An approved mask or respirator fitted with an organic vapour cartridge should be worn if		
		the product is used in a poorly ventilated area.		
		Filter type: A (EN 143847) Where risk assessment shows air-purifying respirators are		
		appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK		
		(EN 14387) respirator cartridges as a backup to engineering controls.		
		If the respirator is the sole means of protection, use a full-face supplied air respirator.		
		Use respirators and components tested and approved under appropriate government		
		standards such as NIOSH (US) or CEN (EU).		
	Work/Hygienic/Mainter	TEST.		
	ance Practices:			
8.2.3	Environmental	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.		
	Exposure Controls:	Discharge into the environment must be avoided.		
	Exposure Scenarios:	Do not allow uncontrolled discharge of product into the environmenmt.		
1				

Revision: 07/08/2022

9.1		ction 9. Physical and Chemical Properties hysical and Chemical Properties		
	Physical States:			
	Appearance and Odor:	[]Gas [X]Liquid[]Solid Clear.		
	Appearance and Odor.	characteristic odor.		
	pH:			
	Melting Point: Boiling	NA		
	Point:	100.00 C (212.0 F) - 121.00 C (249.8 F)		
	Flash Pt:	> 97.00 C (206.6 F) Method Used: Estimate		
	Evaporation Rate:			
	Saturated Vapor			
	Concentration:			
	Flammability (solid, ga	s): No data available.		
	Explosive Limits:	LEL: UEL:		
	Vapor Pressure (vs. Ai	r or		
	mm Hg):			
	Vapor Density (vs. Air	•		
	Specific Gravity (Wate	,		
	Density:	1.053 G/CM3		
	Solubility in Water:			
	Octanol/Water Partition	n		
	Coefficient:			
	Autoignition Pt:			
	Decomposition			
	Temperature:			
	Viscosity:			
	Explosive Properties:	No data available.		
~ ~	Oxidizing Properties:	No data available.		
9.2	Other Information			
9.2.1	-	d to physical hazard classes		
	Information w	-		
	primary phys			
	9.2.2 Other safet	y characteristics		
		Section 10. Stability and Reactivity		
10.1	Reactivity:	Section 10. Stability and Reactivity Semi-Solid.		
	Reactivity: Stability:	Semi-Solid.		
10.2	Reactivity: Stability: Conditions To Avoid -	Semi-Solid. Unstable []Stable [X]		
10.2	Stability:	Semi-Solid. Unstable []Stable [X] Semi-Solid.		
10.2	Stability: Conditions To Avoid - Hazardous Reactions:	Semi-Solid. Unstable []Stable [X] Semi-Solid.		
10.2	Stability: Conditions To Avoid - Hazardous Reactions: Possibility of	Semi-Solid. Unstable []Stable [X] Semi-Solid.		
10.2 10.3	Stability: Conditions To Avoid - Hazardous Reactions: Possibility of Hazardous Reactions:	Semi-Solid. Unstable []Stable [X] Semi-Solid. Will occur [] Will not occur [X]		
10.2 10.3	Stability: Conditions To Avoid - Hazardous Reactions: Possibility of Hazardous Reactions: Conditions To Avoid -	Semi-Solid. Unstable []Stable [X] Semi-Solid. Will occur [] Will not occur [X] Use caution when storing or processing material above 42°C (108°F). May decompose		
10.2 10.3 10.4	Stability: Conditions To Avoid - Hazardous Reactions: Possibility of Hazardous Reactions: Conditions To Avoid - Instability:	Semi-Solid. Unstable []Stable [X] Semi-Solid. Will occur [] Will not occur [X] Use caution when storing or processing material above 42°C (108°F). May decompose violently if heated above 167°C (332 °F).		
10.2 10.3 10.4	Stability: Conditions To Avoid - Hazardous Reactions: Possibility of Hazardous Reactions: Conditions To Avoid - Instability: Incompatibility -	Semi-Solid. Unstable []Stable [X] Semi-Solid. Will occur [] Will not occur [X] Use caution when storing or processing material above 42°C (108°F). May decompose violently if heated above 167°C (332 °F). Prolonged or repeated skin contact should be avoided to minimise any risk of		
10.2 10.3 10.4 10.5	Stability: Conditions To Avoid - Hazardous Reactions: Possibility of Hazardous Reactions: Conditions To Avoid - Instability: Incompatibility - Materials To Avoid:	Semi-Solid. Unstable []Stable [X] Semi-Solid. Will occur [] Will not occur [X] Use caution when storing or processing material above 42°C (108°F). May decompose violently if heated above 167°C (332 °F). Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.		
10.1 10.2 10.3 10.4 10.5 10.6	Stability: Conditions To Avoid - Hazardous Reactions: Possibility of Hazardous Reactions: Conditions To Avoid - Instability: Incompatibility - Materials To Avoid: Hazardous	 Semi-Solid. Unstable []Stable [X] Semi-Solid. Will occur [] Will not occur [X] Use caution when storing or processing material above 42°C (108°F). May decompose violently if heated above 167°C (332 °F). Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation. In the event of fire: see section 5. Hazardous decomposition products formed under fire 		
10.2 10.3 10.4 10.5	Stability: Conditions To Avoid - Hazardous Reactions: Possibility of Hazardous Reactions: Conditions To Avoid - Instability: Incompatibility - Materials To Avoid:	Semi-Solid. Unstable []Stable [X] Semi-Solid. Will occur [] Will not occur [X] Use caution when storing or processing material above 42°C (108°F). May decompose violently if heated above 167°C (332 °F). Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.		

		sensitisation.
		Section 11. Toxicological Information
11.1	Information on Toxicological Effects:	CAS# 5888-33-5: Acute toxicity, LD50, Oral, Rat, 4890. MG/KG. Result: Behavioral: Tremor. Lungs, Thorax, or Respiration:Dyspnea. Skin and Appendages: Other: Hair.;
	Toxicological Elicots.	National Technical Information Service, Vol/p/yr: OTS0536067,
		Acute toxicity, LD50, Skin, Species: Rabbit, > 5.000 GM/KG; National Technical
		Information Service, Vol/p/yr: OTS0536067,
		CAS# 868-77-9: Acute toxicity, LD50, Oral, Rat, 5050. MG/KG. Result: Behavioral:
		Coma. ; Gigiena i Sanitariya, Mezhdunarodnaya Kniga, Vol/p/yr: 54(9),75, 1989
	Irritation or Corrosion:	Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation. Prolonged or repeated skip contact should be availed to minimise any risk of
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
	Sensitization:	Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation. Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation. Prolonged or repeated skin contact should be avoided to minimise any risk of
		of sensitisation. Prolonged or repeated skin contact should be avoided to minimise any next
		risk of sensitisation.
	Chronic Toxicological	Specific target organ toxicity - single exposure: Inhalation -May cause respiratory
	Effects:	irritation. Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation.
		Specific target organ toxicity - repeated exposure: Semi-Solid.
		Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
	Carcinogenicity/Other	IARC: No component of this product present at levels greater than or equal to 0.1% is
	Information:	identified as probable, possible or confirmed human carcinogen by IARC.
		ACGIH: No component of this product present at levels greater than or equal to 0.1% is
		identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is
		identified as a known or anticipated carcinogen by NTP.
		OSHA: No component of this product present at levels greater than or equal to 0.1% is
		identified as a carcinogen or potential carcinogen by OSHA.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of
		Multi-region format

		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
Carcin	nogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No			
		Section 12. Ecological Information			
12.1	Toxicity:	CAS# 868-77-9: No data available. , 0.000 .			
	5	LC50, Fathead Minnow (Pimephales promelas), juvenile(s), 227000. UG/L, 96 H,			
		Mortality, Water Hardness: 45.30 MG/L; Acute Toxicity and Behavioral Effects of			
		Acrylates and Methacrylates to Juvenile Fathead Minnows, Russom, C.L., R.A.			
		Drummond, and A.D. Hoffman, 1988			
		LC50, Fathead Minnow (Pimephales promelas), 227000. UG/L, 96 H, Mortality, Water			
		temperature: 24.70 C (76.5 F) C, pH: 7.70, Hardness: 45.90 MG/L. Result:			
		Affected fish stopped schooling behavior. ; Acute Toxicities of Organic Chemicals to			
		Fathead Minnows (Pimephales promelas) Volume III, Geiger, D.L., S.H. Poirier, L.T.			
		Brooke, and D.J. Call, 1986			
		LC50, Bony Fishes (Osteichthyes), 30000. UG/L, 72 H, Mortality; Toxicity of Some			
		Acrylic and Methacrylic Esters of Acrylamide and Polyacrylamides, Paulet, G., and M. Vidal, 1975			
12.2	Persistence and	Prolonged or repeated skin contact should be avoided to minimise any risk of			
	Degradability:	sensitisation.			
	0 ,	Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		sensitisation.			
		Prolonged or repeated skin contact should be avoided to minimise any risk of			
		Multi-region format			

12.6		An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
12.5	vPvB assessment:	sensitisation.
12.4	Results of PBT and	Prolonged or repeated skin contact should be avoided to minimise any risk of
12.4	Mobility in Soil:	Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation. No data available.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		sensitisation.
		sensitisation. Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation. Prolonged or repeated skin contact should be avoided to minimise any risk of
	· • • • • • • • • • • • • • • • • • • •	Prolonged or repeated skin contact should be avoided to minimise any risk of
12.3	Bioaccumulative Potential:	Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		sensitisation.
		sensitisation. Prolonged or repeated skin contact should be avoided to minimise any risk of
		Prolonged or repeated skin contact should be avoided to minimise any risk of
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		sensitisation.

07/08/2022

3.1	Waste Disposal	Prolonged or repeated skin contact should be avoided to minimise any risk of
	Method:	sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation. Prolonged or repeated skin contact should be avoided to minimise any ris of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation. Prolonged or repeated skin contact should be avoided to minimise any ris of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation. Prolonged or repeated skin contact should be avoided to minimise any ris of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of
		sensitisation. Prolonged or repeated skin contact should be avoided to minimise any ris of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.
		Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation. Prolonged or repeated skin contact should be avoided to minimise any ris of sensitisation.

Revision: 07/08/2022


	Section 1	4. Transport Info	rmation	
14.1 LAND TRANSPORT (US D	OT):			
DOT Proper Shipping Name:	Polymer Semi-Solid. Semi-Solid.	NTALLY HAZARDOUS S		
	sensitisation.			
	sensitisation.	repeated skin contact sho		to minimise any fisk of
DOT Hazard Class:	9	CLASS 9		
UN/NA Number:	UN3082	Packing	g Group:	III
14.1 LAND TRANSPORT (Euro	-			
ADR/RID Shipping Name:		NTALLY HAZARDOUS S	SUBSTANCES,	LIQUID, N.O.S. Methacrylate
	Polymer Prolonged or sensitisation.	repeated skin contact sho	ould be avoided	to minimise any risk of
	Prolonged or	repeated skin contact sho	ould be avoided	to minimise any risk of
	sensitisation. Prolonged or sensitisation. Semi-Solid.	repeated skin contact sho	ould be avoided	to minimise any risk of
	Prolonged or sensitisation.	repeated skin contact sho	ould be avoided	to minimise any risk of
	Prolonged or sensitisation.	repeated skin contact sho	ould be avoided	to minimise any risk of
UN Number:	UN3082	Packing	g Group:	III
Hazard Class: 9	- CLASS 9			
14.2 MARINE TRANSPORT (IM	DG/IMO):			
IMDG/IMO Shipping Name:	Polymer Semi-Solid. Semi-Solid. Semi-Solid.			LIQUID, N.O.S. Methacrylate
	sensitisation.	repeated skin contact she		
	sensitisation.	repeated skin contact sho		
	sensitisation.			
UN Number:	UN3082	Packing	g Group:	III
Hazard Class:	9 - CLASS 9			
		Marine	Pollutant:	No

4.3 AIR TRANSPORT (ICAO/IATA):				
ICAO/IATA Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTAI Polymer	NCES, LIQUID, N.O.S. Methacrylate		
	Semi-Solid.			
	Prolonged or repeated skin contact should be avoided to minimise any ris sensitisation.			
	Prolonged or repeated skin contact should be a sensitisation.	avoided to minimise any risk of		
	Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.			
	Prolonged or repeated skin contact should be a sensitisation.	avoided to minimise any risk of		
	Prolonged or repeated skin contact should be a sensitisation.	avoided to minimise any risk of		
UN Number:	UN3082 Packing Group:	: III		
Hazard Class:	9 - CLASS 9			

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
5888-33-5	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate	No	No	No
868-77-9	2-Hydroxyethyl methacrylate	No	No	No
2530-83-8	3-Glycidoxypropyltrimethoxysilane	No	No	No
24650-42-8	2,2-Dimethoxy-1,2-diphenylethan-1-one	No	No	No
[] Yes [X] No [] Yes [X] No	Flammable (gases, aerosols, liquid, or solid) [. Oxidizer (liquid, solid or gas) [. Self-reactive [. Pyrophoric (liquid or solid) [. Pyrophoric gas [. Self-heating [. Organic peroxide [. Corrosive to metal e Gas under pressure (compressed gas) [.] Yes[X] NoAcute toX] Yes[] NoSkin CoX] Yes[] NoSeriousX] Yes[] NoRespiration] Yes[X] NoGermand] Yes[X] NoCarcing	oxicity (any route of o orrosion or Irritation s eye damage or eye atory or Skin Sensitiz cell mutagenicity ogenicity luctive toxicity c target organ toxicity o Aspiration Hazard Asphyxiant	exposure) irritation ation / (single or repeated
CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists		
5888-33-5	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate	TSCA: Yes - Inventory: Active/Exempt; CA PROP.65: No		
868-77-9	2-Hydroxyethyl methacrylate	TSCA: Yes - Inventory: Active/Exempt; CA PROP.65: No		
2530-83-8	3-Glycidoxypropyltrimethoxysilane	TSCA: Yes - Inventory: Active/Exempt, 8A; CA PROP.65: No		
24650-42-8	2,2-Dimethoxy-1,2-diphenylethan-1-one	TSCA: Yes - Inventory: Active/Exempt; CA PROP.65: No		
CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists		
5888-33-5	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate	REACH: Yes - 01-2119957862-25: Full, (P)		
868-77-9	2-Hydroxyethyl methacrylate	REACH: Yes - 01-2119490169-29: Full, (P)		
2530-83-8	3-Glycidoxypropyltrimethoxysilane	REACH: Yes - 01-2119513212-58: Full, (P)		
24650-42-8	2,2-Dimethoxy-1,2-diphenylethan-1-one	REACH: Yes - 01-2120000336-73: Full, (P)		



Company Policy or Disclaimer:

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.