



# CYANOACRYLATE PRODUCT GUIDE



# CYANOACRYLATES

Procure cyanoacrylates are specially formulated to offer excellent adhesion on a wide range of substrates. Feel free to contact our team for further advice.

## High Performance

Procure high performance, cyanoacrylate adhesives offer superior performance for bonding the most difficult of substrates, such as plastics and rubbers.



Product	Viscosity	Description	Packaging
PC01	100	Medium viscosity, used in difficult to bond applications.	20g/50g/500g
PC06	20	Fast rubber bonding.	20g/50g/500g
PC95	40	Thin grade, used in difficult to bond applications.	20g/50g/500g
PC1144	5	Ultra-fast penetrating grade.	20g/50g/500g
PC401F	100	Medium viscosity, fast bonding adhesive.	20g/50g/500g



## Low Odour

Procure low odour, low bloom (non whitening) and foam safe cyanoacrylate adhesives.



Product	Viscosity	Description	Packaging
PC03	1200	High viscosity, low bloom, low odour.	20g/50g/500g
PC08	5	Low viscosity, low bloom, low odour.	20g/50g/500g
PC60	100	Medium viscosity, low bloom, low odour.	20g/50g/500g



## Multi Purpose

Procure multi-purpose, cyanoacrylate adhesives are offered in a selection of viscosities for bonding a diverse range of materials.



Product	Viscosity	Description	Packaging
PC07	700	Medium to high viscosity plastic and rubber bonder.	20g/50g/500g
PC16	1500	High viscosity, fast cure.	20g/50g/500g
PC20	5	Low viscosity, penetrating grade.	20g/50g/500g
PC22	2500	Very high viscosity, slow cure.	20g/50g/500g
PC24	120	Medium viscosity, fast cure, general grade.	20g/50g/500g
PC50	300	Medium-thick, fast cure, general grade.	20g/50g/500g



## Rubber Toughened

Procure rubber toughened adhesives offer improved adhesion in higher temperatures (up to 125 °C) and humid environments. They allow improved flexibility, peel and impact resistance compared to normal cyanoacrylates. Excellent rubber to metal bonder.



Product	Viscosity	Description	Packaging
PC80	500	Medium viscosity, black, rubber toughened.	20g/50g/500g
PC35	1000	High viscosity, clear, rubber toughened.	20g/50g/500g
PC85	3500	High viscosity, clear, rubber toughened.	20g/50g/500g
PC1473	4000	High viscosity, black, rubber toughened.	20g/50g/500g





# CYANOACRYLATES

## Gel

Procure non-run, surface insensitive gels for vertical and gap-filling applications. Will bond/fill most materials such as metals, rubbers, plastics, leathers, woods, etc.



Product	Viscosity	Description	Packaging
PC09	Gel	Standard cure, good gap fill, clear, non-drip.	20g Tube
PC54	Gel	Fast cure, good gap fill, clear, non-drip.	20g Tube

## SUPPORT PRODUCTS

Procure support products for use alongside other products in our range. From debonder; for removing adhesive, to a range of primers and activators to provide more control of the cure consistency, for the bond you need. Feel free to contact our team for further advice.

Product	Description	Packaging
PC750 Activator	Used on wood and natural materials.	200ml/400ml Aerosol
PC760 Activator	Fast evaporating, liquid activator.	1ltr Tin
PC780 Activator	Used on plastics, low stain product.	200ml Aerosol
PC790 Activator	Fast acting, good cure through gaps.	20ml/63ml Bottle/200ml Aerosol/1ltr Tin
PC77 Primer	Liquid primer for use on low energy plastics/rubbers.	20ml Bottle/50ml Bottle/1ltr Tin
PC68 Debonder	Used to remove cured cyanoacrylate.	20ml Bottle/1ltr Tin



We stock a large variety of metal and plastic nozzle tips used to dispense fine amounts of adhesives for precise applications such as model making. These nozzles can be fitted directly onto our standard Procure Cyanoacrylate, Procure UV and Lockfast anaerobic products to offer fine bond lines and a controlled flow of thinner grade adhesives. We offer a range of sizes in different gauges allowing you to select the right one for your application needs.

Gauge Chart		Size Indicator	•	•	•	•	•	•	•	•	•	•
		Metal Tip	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>22</b>	<b>23</b>	<b>24</b>	<b>25</b>	<b>26</b>
	Tapered Tip		<b>18</b>		<b>20</b>		<b>22</b>			<b>25</b>		
	Colour											

**CYANOTEC**  
Creating Bonds

**BASA**  
BRITISH ADHESIVES &  
SEALANTS ASSOCIATION



Bay 2 Building 62, Third Avenue,  
Pensnett Trading Estate,  
Kingswinford, West Midlands DY6 7XT  
Company Reg No. 4558739 | VAT Reg No. 803681929

 01384 294 753  
 [sales@cyanotec.com](mailto:sales@cyanotec.com)  
 [www.cyanotec.com](http://www.cyanotec.com)