

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 4 Printing date 10.08.2021 Revision: 06.08.2021

## SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: BIS GLASS ADHESIVE BD 2ML\*12 L136
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

UHU GmbH & Co.KG

Herrmannstraße 7

D-77815 Bühl (Baden)

Tel.:0049-(0)7223-284-0

Fax: 0049-(0)7223-284-245 emaill: sds@boltonadhesives.com

· Further information obtainable from: UHU QESH · 1.4 Emergency telephone number:

Tel.: + 49 (0) 30/19240 (Notruf)

Tel.: + 49 (0) 72 23/28 40

England and Wales (NHS Direct) 111

Schottland (NHS 24) 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms** 



- · Signal word Warning
- · Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

2-hydroxypropyl methacrylate

4-(1,1-dimethylethyl)cyclohexyl methacrylate

· Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

GR-FN

1/9 www.bison.net



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2021 Version number 4 Revision: 06.08.2021

Trade name: BIS GLASS ADHESIVE BD 2ML\*12 L136

(Contd. of page 1)

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

**Precautionary statements** 

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P261 Avoid breathing vapours. P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with national regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description**: Adhesive

<ul> <li>Dangerous components:</li> </ul>		
	2-hydroxyethyl methacrylate  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%
CAS: 27813-02-1 EINECS: 248-666-3 Index number: 607-125-00-5 Reg.nr.: 01-2119490226-37	2-hydroxypropyl methacrylate  © Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%
CAS: 46729-07-1	4-(1,1-dimethylethyl)cyclohexyl methacrylate  Skin Sens. 1, H317	2.5-10%
Polymer	110/270 Aliphatic urethane acrylate resin  © Eye Irrit. 2, H319	2.5-10%
CAS: 2530-83-8 EINECS: 219-784-2 Reg.nr.: 01-2119513212-58	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane  Eye Dam. 1, H318; Aquatic Chronic 3, H412	1-2.5%
CAS: 84170-74-1 EC number: 617-546-6 Reg.nr.: 01-2119970213-43	Poly[oxy(methyl-1,2-ethanediyl)], α,α'-(2,2-dimethyl-1,3-propanediyl)bis[ω-[(1-oxo-2-propen-1-yl)oxy]- Acute Tox. 3, H331; Aquatic Chronic 2, H411; Skin Sens. 1A, H317	<1%
CAS: 162881-26-7 ELINCS: 423-340-5 Index number: 015-189-00-5 Reg.nr.: 01-2119489401-38	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide Skin Sens. 1A, H317; Aquatic Chronic 4, H413	<1%

GB-EN

www.bison.net 2/9



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2021 Version number 4 Revision: 06.08.2021

Trade name: BIS GLASS ADHESIVE BD 2ML\*12 L136

	(Cont	td. of page 2)
CAS: 1187441-10-6	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester,	<1%
EC number: 810-703-1	reaction products with phosphorus oxide	
Reg.nr.: 01-2120140608-57	📀 Eye Dam. 1, H318; 🗘 Skin Sens. 1B, H317	
CAS: 79-10-7	acrylic acid	<1%
EINECS: 201-177-9	♦ Flam. Liq. 3, H226; ♦ Skin Corr. 1A, H314; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Acute Tox. 4,	
Index number: 607-061-00-8	Acute 1, H400; 1 Acute Tox. 4, H302; Acute Tox. 4,	
Reg.nr.: 01-2119452449-31	H312; Acute Tox. 4, H332	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

GB-EN

www.bison.net 3/9



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2021 Version number 4 Revision: 06.08.2021

Trade name: BIS GLASS ADHESIVE BD 2ML\*12 L136

(Contd. of page 3)

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm

glove material: butyl rubber

thickness of the glove material: 0,6 - 0,8 mm

breakthrough time (maximum wearing time): 60 - 120 min.

(Contd. on page 5)

GB-EN

www.bison.net 4/9



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2021 Version number 4 Revision: 06.08.2021

Trade name: BIS GLASS ADHESIVE BD 2ML\*12 L136

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

#### Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye protection:



Tightly sealed goggles

Goggles recommended during refilling

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Appearance:

Form: Fluid
Colour: Colourless
Odour: Characteristic
Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

**Melting point/freezing point:** Undetermined. **Initial boiling point and boiling range:** 205 °C

· Flash point: 95 °C

· Flammability (solid, gas): Not applicable.

· **Decomposition temperature:** Not determined.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapour pressure at 68 °C: 1.3 hPa

Density at 20 °C:
 Relative density
 1.1 g/cm³
 Not determined.

Vapour density
 Evaporation rate
 Not determined.
 Not determined.

Solubility in / Miscibility with water: Not miscible or difficult to mix.

(Contd. on page 6)

GB-EN -

www.bison.net 5/9



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2021 Version number 4 Revision: 06.08.2021

Trade name: BIS GLASS ADHESIVE BD 2ML\*12 L136

	(Contd. of page 5	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic at 20 °C:	6500 mPas	
Kinematic:	Not determined.	
· Solvent content:		
Solids content:	50.1 %	
· 9.2 Other information	All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.	

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:				
868-77-9 2-hydroxyethyl methacrylate				
Oral	LD50	5050 mg/kg (rat)		
79-10-7	79-10-7 acrylic acid			
Oral	LD50	250 mg/kg (rat)		
Dermal	LD50	280 mg/kg (rabbit)		

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Not applicable.

(Contd. on page 7)

- GB-EN

www.bison.net 6/9



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2021 Version number 4 Revision: 06.08.2021

Trade name: BIS GLASS ADHESIVE BD 2ML\*12 L136

(Contd. of page 6)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

· 14.1 UN-Number

· ADR/ADN, IMDG, IATA not regulated

ADN not regulated

· 14.2 UN proper shipping name

· ADR/ADN, ADN, IMDG, IATA not regulated

· 14.3 Transport hazard class(es)

· ADR/ADN, ADN, IMDG, IATA

· Class not regulated

(Contd. on page 8)

GB-EN

www.bison.net 7/9



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.08.2021 Version number 4 Revision: 06.08.2021

Trade name: BIS GLASS ADHESIVE BD 2ML\*12 L136

	(Contd. of page 7)
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Transport in bulk according to Ann of Marpol and the IBC Code</li> </ul>	ex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	not regulated

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

(Contd. on page 9)

GB-EN

www.bison.net 8/9



## Safety data sheet according to 1907/2006/EC, Article 31

Version number 4 Revision: 06.08.2021 Printing date 10.08.2021

Trade name: BIS GLASS ADHESIVE BD 2ML\*12 L136

(Contd. of page 8)

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

## Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Skin sensitisation

The classification of the mixture is generally based on the Serious eye damage/eye irritation calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: UHU QESH

Contact: UHU QESH

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Skin Sens. 1B: Skin sensitisation - Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

\* Data compared to the previous version altered.

GB-EN

9/9 www.bison.net