



## SAFETY DATA SHEET Procure - PC750 Activator Aerosol

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier				
	Procure - PC750 Activator Aerosol			
Product name				
Product number	2578			
1.2. Relevant identified use	s of the substance or mixture and uses advised against			
Identified uses	Activator.			
1.3. Details of the supplier of	of the safety data sheet			
Supplier	Cyanotec Ltd Bay 2, Building 62 Third Avenue Pensnett Trading Estate Kingswinford DY6 7XT			
1.4. Emergency telephone				
Emergency telephone	(+44) 01384 294 753 (Hours 09:00 - 17:00 Mon to Fri)			
SECTION 2: Hazards identi	ification			
2.1. Classification of the sul				
Classification (SI 2019 No.				
Physical hazards	Aerosol 1 - H222, H229			
Health hazards	Eye Irrit. 2 - H319 STOT SE 3 - H336			
Environmental hazards	Not Classified			
Human health	Vapours and spray/mists in high concentrations are narcotic. See Section 11 for additional information on health hazards.			
Environmental	The product is not expected to be hazardous to the environment.			
Physicochemical	Containers can burst violently or explode when heated, due to excessive pressure build-up. The product is extremely flammable. Vapours may form explosive mixtures with air.			
2.2. Label elements				
Hazard pictograms				
Signal word	Danger			
Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H319 Causes serious eye irritation.			

H336 May cause drowsiness or dizziness.

Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. I smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P261 Avoid breathing vapour/ spray.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 Call a POISON CENTRE/doctor if you feel unwell.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> </ul>	
Contains	ISOPROPANOL	
Supplementary precautionary statements	P264 Wash contaminated skin thoroughly after handling. P337+P313 If eye irritation persists: Get medical advice/ attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.	

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
PROPAN-2-OL		60-100%
CAS number: 67-63-0	EC number: 200-661-7	
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
PETROLEUM GASES, LIQUEFIE	D <0.1% 1,3-BUTADIENE	30-60%
CAS number: 68476-85-7	EC number: 270-704-2	
Classification		
Flam. Gas 1A - H220		
Press. Gas (Comp.) - H280		
N,N-DIMETHYL-P-TOLUIDINE		<1%
CAS number: 99-97-8	EC number: 202-805-4	
Classification		
Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Acute Tox. 3 - H331		
STOT RE 2 - H373		
Aquatic Chronic 3 - H412		

The full text for all hazard statements is displayed in Section 16.

## **SECTION 4: First aid measures**

SECTION 4: First aid measures				
4.1. Description of first aid measures				
General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.			
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If in doubt, get medical attention promptly.			
Ingestion	Rinse mouth thoroughly with water. Remove person to fresh air and keep comfortable for breathing. Get medical attention.			
Skin contact	Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.			
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.			
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.			
4.2. Most important symptoms	and effects, both acute and delayed			
General information	See Section 11 for additional information on health hazards.			
4.3. Indication of any immedia	te medical attention and special treatment needed			
Notes for the doctor	Treat symptomatically.			
SECTION 5: Firefighting meas	sures			
5.1. Extinguishing media				
Suitable extinguishing media	Foam, carbon dioxide or dry powder.			
5.2. Special hazards arising fr	om the substance or mixture			
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.			
5.3. Advice for firefighters				
Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.			
SECTION 6: Accidental release	se measures			
6.1. Personal precautions, pro	tective equipment and emergency procedures			
Personal precautions	Avoid inhalation of vapours and contact with skin and eyes. Ensure suitable respiratory protection is worn during removal of spillages in confined areas.			
6.2. Environmental precaution	<u>s</u>			
Environmental precautions	Avoid discharge into drains.			
6.3. Methods and material for	containment and cleaning up			
Methods for cleaning up	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.			
6.4. Reference to other section	ns			

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on he hazards. See Section 12 for additional information on ecological hazards. For waste dissee Section 13.		
SECTION 7: Handling and storage			

7.1.	Precautions	for sa	fe handlir	ŋg

Usage precautions	Keep away from heat, sparks and open flame. Read and follow manufacturer's recommendations. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited. Use suitable respiratory protection if ventilation is inadequate.	
Advice on general occupational hygiene	Wash promptly with soap and water if skin becomes contaminated. Do not eat, drink or smoke when using this product.	
7.2. Conditions for safe stora	age, including any incompatibilities	
Storage precautions	Protect from freezing and direct sunlight. Store in a dry place. Do not store near heat sources or expose to high temperatures. Keep away from heat, sparks and open flame.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls/Personal protection		
8.1. Control parameters		
Occupational exposure limits		

#### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

### PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m<sup>3</sup> Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m<sup>3</sup> WEL = Workplace Exposure Limit.

### PROPAN-2-OL (CAS: 67-63-0)

DNEL	Workers - Dermal; Long term systemic effects: 888 mg/kg/day Workers - Inhalation; Long term systemic effects: 500 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 319 mg/kg/day Consumer - Inhalation; Long term systemic effects: 89 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 26 mg/kg/day	
PNEC	Industry - Fresh water; Long term 140.9 mg/l Industry - marine water; Long term 140.9 mg/l Industry - Sediment (Freshwater); Long term 552 mg/kg Industry - Sediment (Marinewater); Long term 552 mg/kg Industry - Soil; Long term 28 mg/l	
8.2. Exposure controls		
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.	
Hand protection	No specific requirements are anticipated under normal conditions of use.	

Other skin and body protection	Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.
Respiratory protection	No specific recommendations. If ventilation is inadequate, suitable respiratory protection must be worn.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Clear.
Odour	Solvents
Odour threshold	No information available.
рН	No information available.
Melting point	No information available.
Initial boiling point and range	-41 (-41 TO 215)°C @
Flash point	-40°C Closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 1.2 % Upper flammable/explosive limit: 12 %
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	0.673
Solubility(ies)	Slightly soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	425°C
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Oxidising properties	No information available.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability

The product may not be stable under some conditions of storage or use.

10.3. Possibility of hazardous reactions

Possibility of reactions	hazardous	None known.		
10.4. Condition	ons to avoid			
Conditions to	avoid	Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight.		
10.5. Incomp	atible materials			
Materials to a	avoid	None kn	own.	
10.6. Hazardo	ous decompositio	n products	S	
Hazardous de products	ecomposition	None at ambient temperatures.		
<b>SECTION 11</b>	: Toxicological infe	ormation		
11.1. Informa	tion on toxicologic	al effects		
Acute toxicity	- oral			
ATE oral (mg	ı/kg)	15,625.0		
Acute toxicity				
ATE dermal (	(mg/kg)	46,875.0		
Acute toxicity - inhalation		400 75		
ATE Innalatio	on (vapours mg/l)	468.75		
Inhalation		Vapours in high concentrations are narcotic. Vapours may cause headache, fatigue, dizziness and nausea.		
Skin contact		Skin irritation should not occur when used as recommended.		
Eye contact		Causes	serious eye irritation.	
Acute and ch hazards	ronic health	h No known chronic or acute health risks.		
Route of expo	osure	Skin and	/or eye contact Inhalation	
Toxicological	information on ing	gredients.		
PROPAN-2-OL				
	Acute toxicity - oral			
	Acute toxicity oral mg/kg)	(LD50	5,045.0	
	Species		Rat	
	ATE oral (mg/kg)		5,045.0	
	Acute toxicity - de	rmal		
	Acute toxicity dern mg/kg)	mal (LD₅₀	12,800.0	

Rabbit

12,800.0

Species

ATE dermal (mg/kg)

	ute toxicity inhalation C <sub>50</sub> vapours mg/l)	30.0
Spe	ecies	Rat
ATI mg	E inhalation (vapours /I)	30.0
		N,N-DIMETHYL-P-TOLUIDINE
Acu	ute toxicity - oral	
	ute toxicity oral (LD₅₀ //kg)	1,650.0
Spe	ecies	Rat
AT	E oral (mg/kg)	100.0
Acu	ute toxicity - inhalation	
	ute toxicity inhalation C50 vapours mg/l)	1.4
Spe	ecies	Rat
ATI mg	E inhalation (vapours /l)	3.0
Inh	alation	Toxic if inhaled. Vapours in high concentrations are narcotic. Vapours may cause headache, fatigue, dizziness and nausea.
Ing	estion	Toxic if swallowed.
Ski	in contact	Toxic in contact with skin.
Eye	e contact	Vapour or spray in the eyes may cause irritation and smarting.
	ute and chronic health zards	May cause damage to organs through prolonged or repeated exposure.
Ro	ute of exposure	Inhalation Ingestion Skin and/or eye contact
SECTION 12: Ed	cological information	
Ecological inform	nation on ingredients.	
		PROPAN-2-OL
Eco	otoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.
12.1. Toxicity		
Ecological inform	nation on ingredients.	
		PROPAN-2-OL
	ute aquatic toxicity ute toxicity - fish	LC₅₀, 96 hours: 9640 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic EC<sub>50</sub>, 24 hours: >10000 mg/l, Daphnia magna invertebrates

Acute toxicity - aquatic plants	EC₅₀, 7 days: 1800 mg/l, Selenastrum capricornutum
	N,N-DIMETHYL-P-TOLUIDINE
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 46-52 mg/l, Pimephales promelas (Fat-head Minnow)
12.2. Persistence and degradability	
Persistence and degradability No dat	a available.
Ecological information on ingredients.	
	PROPAN-2-OL
Persistence and degradability	Expected to be readily biodegradable. The product is degraded completely by photochemical oxidation.
	N,N-DIMETHYL-P-TOLUIDINE
Persistence and degradability	No data available.
12.3. Bioaccumulative potential	
Partition coefficient No info	prmation available.
Ecological information on ingredients.	
	PROPAN-2-OL
Bioaccumulative potentia	Based on available data the classification criteria are not met.
Partition coefficient	log Pow: 0.05
	N,N-DIMETHYL-P-TOLUIDINE
Partition coefficient	No information available.
12.4. Mobility in soil	
•	a available.
Ecological information on ingredients.	
	PROPAN-2-OL
Mobility	The product is water-soluble and may spread in water systems.
Surface tension	22.7 mN/m @ 20°C
Sunace tension	
	N,N-DIMETHYL-P-TOLUIDINE
Mobility	No data available
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB This pr assessment	oduct does not contain any substances classified as PBT or vPvB.
Ecological information on ingredients.	

### PROPAN-2-OL

**Results of PBT and vPvB** This product does not contain any substances classified as PBT or vPvB. assessment

## N,N-DIMETHYL-P-TOLUIDINE

**Results of PBT and vPvB** This product does not contain any substances classified as PBT or vPvB. assessment

### 12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

#### PROPAN-2-OL

Other adverse effects	The product contains a substance or substances that will contribute to global
	warming (greenhouse effect). Not expected to have ozone depletion potential.

#### N,N-DIMETHYL-P-TOLUIDINE

Other adverse effects None known.		
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>s</u>	
General information	Dispose of waste product or used containers in accordance with local regulations Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.	
Disposal methods	Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use.	
Waste class	The waste code classification is to be carried out according to the European Waste Catalogue (EWC).	
SECTION 14: Transport inform	nation	
14.1. UN number		
UN No. (ADR/RID)	1950	
UN No. (IMDG)	1950	
UN No. (ICAO)	1950	
UN No. (ADN)	1950	
14.2. UN proper shipping name		
Proper shipping name (ADR/RID)	Aerosol, FLAMMABLE	
Proper shipping name (IMDG)	Aerosol, FLAMMABLE	
Proper shipping name (ICAO)	Aerosol, FLAMMABLE	
Proper shipping name (ADN)	Aerosol, FLAMMABLE	
14.3. Transport hazard class(es)		
ADR/RID class	2.1	

ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

### **Transport labels**



### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

### 14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision date	06/04/2022
Revision	4
Supersedes date	24/01/2019
SDS number	4804

H311 Toxic in contact with skin. H319 Causes serious eye irritation. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure.	Hazard statements in full	H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: may burst if heated. H280 Contains gas under pressure; may explode if heated. H301 Toxic if swallowed. H220 Extremely flammable gas.
LIAAO Llawsful ta asuatia life with laws lasting offecto		H319 Causes serious eye irritation. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.