

ADHESIVE SOLUTIONS

Vol 5



Cyanotec Ltd,
Bay 2 Building 62,
Third Avenue,
Pensnett Trading Estate,
Kingswinford,
West Midlands DY6 7XT

 **01384 294 753**
 **sales@cyanotec.com**
 **cyanotec.com**     

BASA
BRITISH ADHESIVES &
SEALANTS ASSOCIATION

 **bsi**
ISO 9001
Quality
Management
Systems
CERTIFIED
FS 87162

 **MADE IN
BRITAIN**



Private Label Adhesives	Page 4-5
Cyanoacrylate Products	Page 4
Cyanoacrylates	Page 4
<i>Industrial</i>	Page 4
<i>General Purpose</i>	Page 4
<i>Hobby/Model Making</i>	Page 4
Ancillaries	Page 4
Mitre Adhesive Kits	Page 4
Wood Kit	Page 4
Plastic Kit	Page 4
Anaerobic Adhesives	Page 5
Threadlockers	Page 5
Retaining Compounds	Page 5
Threaded Pipe Sealants	Page 5
Liquid Gasket Makers	Page 5



Cyanoacrylate Adhesives	Page 6-12
High Performance	Page 7
Low Odour	Page 8
Multi Purpose	Page 9
Gels	Page 9
Rubber Toughened	Page 10
Cyanoacrylate Support Products	Page 11-12
Activators	Page 11
Liquid Activators	Page 11
Aerosol Activators	Page 11
Primer	Page 12
Debonder	Page 12
Surface Preparation	Page 12
Dispensing Nozzles	Page 12



Engineering Adhesives	Page 13-16
Anaerobics	Page 14-15
Threadlockers	Page 14
Retaining Compunds	Page 14
Gasket & Flange Sealants	Page 15
Threaded Pipe Sealants	Page 15
Structural Adhesives	Page 16
Acrylic (MMA)	Page 16
Epoxy	Page 16
Epoxy Putty	Page 16
PU Resin	Page 16



Light Curing Adhesives	Page 17-19
Glass	Page 18
Plastic	Page 18
Optical	Page 18
Windscreen	Page 19
Medical	Page 19
Electronics	Page 19



Wood Adhesive	Page 20-22
Mitre Adhesive	Page 21



Request a Quote

At Cyanotec, we are committed to providing you with personalized guidance to identify the most suitable solution for your needs. If you are aware of the product you require and would like to receive a quote, please feel free to call us at **01384 294 753**. Alternatively, you may email your specifications to sales@cyanotec.com, and we will promptly prepare a quote for you.



Creating Bonds Since 2002

Tim Lucas the founder of Cyanotec Ltd, began his career at one of the world's leading adhesive brands.

A strong focus on creating bonds led to his position at TLIP Adhesives as UK Sales Director. They were acquired by a global adhesives company. After supplying adhesives in larger palletised quantities, this company found out they could not maintain the "little and often" pace that TLIP customers were used to. It was Tim's task to locate a distributor to take on these accounts.

There was a gap in the adhesive market that Tim recognized, that would enable him to keep supplying his loyal customers in smaller quantities and in a variety of grades at a reasonable price.

It was the global adhesive company that supported Tim's transition from his role within their business to starting a new business to serve these customers. In subsequent years this relationship led Cyanotec to become the UK distributor for Mitre Mate Classic and Bison Adhesives.

With a 950 square foot unit in Willenhall, West Midlands, Cyanotec was founded in 2002 with a mission to serve both large and small businesses with quality, flexibility, and reliability.

During 2004, an opportunity was identified in the adhesive market, and the company decided to offer customers a private labelling service. Now, thanks to on site decanting and digital printing facilities, over 95% of products can be own-branded to incorporate customers' company branding and information in a variety of packaging options.

Twenty years on, because of continued year on year growth, Cyanotec now operate from an impressive 7,000 square foot facility in Kingswinford, West Midlands, and has established itself as a dependable name in the adhesives market.

We Aim to Provide:

Quality - UK Manufactured | **Flexibility** - No MOQ | **Reliability** - Fast Turnaround

Cyanotec Ltd,
Bay 2 Building 62,
Third Avenue,
Pensnett Trading Estate,
Kingswinford,
West Midlands DY6 7XT

📞 01384 294 753

✉ sales@cyanotec.com

🌐 cyanotec.com in X 📺 f 📷

CYANOTEC
CREATING BONDS SINCE 2002



PRIVATE LABEL ADHESIVES

Private label adhesives a service Cyanotec offer to personalise your adhesive and sealant products, increasing brand awareness for your business.

Cyanoacrylate Adhesives

We offer a variety of specialised industrial and general purpose grades with supporting products (ancillaries) such as cyanoacrylate debonder, primer and activators.


Round Bottles

A variety of standard cap colours available.



Oval Bottles

Supplied with a special pin-cap (no colour options available.)



Support Products

Glass bottles have the option of a standard cap, atomiser or brush cap.



Cyanoacrylate Adhesives	Grades	Description
Surface Insensitive		
Available Sizes: *Round Bottle: 10g / 20g / 50g (*Cap Options Available) Oval Bottle: 10g / 20g / 50g Bulk: 500g (Bottle) 2kg / 5kg / 10kg (Kegs)	01	Medium viscosity (100cP), suits difficult to bond applications.
	06	Thin viscosity (20cP), rubber bonder.
	95	Thin viscosity (40cP), suits difficult to bond applications.
	1144	Very thin viscosity (5cP), wicking grade.
	01F	Medium viscosity (100cP), accelerated cure.
General Purpose		
As Above	07	Medium-high viscosity (700cP), plastic and rubber bonding.
	16	High viscosity (1500cP).
	20	Very Low viscosity (5cP), wicking grade.
	22	Very high viscosity (2500cP).
	24	Medium viscosity (120cP).
	50	Medium-thick viscosity (300cP).
Low Odour		
As Above	03	High viscosity (1200cP)
	08	Low viscosity (5cP)
	60	Medium viscosity (100cP)
Toughened		
As Above	80	Medium viscosity (500cP) - Black
	35	High viscosity (1000cP) - Clear
	85	High viscosity (3500cP) - Clear
	1473	High viscosity (4000cP) - Black
Gel		
Available Sizes: 20g Tube	09	Non-drip Gel - Standard Cure
	54	Non-drip Gel - Fast Cure
Mitre Kits		
Available Sizes: 200ml Aerosol / 50g Bottle (Round / Oval)	No Stain Mitre Adhesive Kit for uPVC	
	Mitre Adhesive Kit for Wood	
Support Products		
Available Sizes: 200ml Aerosol (*786 / 756) Liquids: 20ml / 50ml (Glass Bottle) / 1L (Tin)	796	Liquid Activator (DMPT-Free)
	786	*Non-Stain Plastic Activator (DMPT-Free)
	756	*Wood Activator (DMPT-Free)
	77	Liquid Primer
	68	Liquid Debonder

Other specialty grades available on request, please speak to us about any other requirements you may need.




Request a Quote

At Cyanotec, we are committed to providing you with personalized guidance to identify the most suitable solution for your needs. If you are aware of the product you require and would like to receive a quote, please feel free to call us at **01384 294 753**. Alternatively, you may email your specifications to sales@cyanotec.com, and we will promptly prepare a quote for you.



Anaerobics & Engineering Adhesives

Cyanotec can also offer a range of Anaerobic adhesives such as screwlock, nutlock, studlock (threadlockers), retainers (retaining compounds), pipe sealants and instant gasket makers (flange sealants).



Sealant Tubes:
50ml & 250ml
anaerobic tubes
available.

Anaerobic Adhesives	Grades	Description
Threadlockers		
Available Sizes: 5ml / 10ml / 50ml / 250ml	22	Low strength threadlocker (Purple)
	42	Medium strength threadlocker (Blue)
	43	Oil tolerant medium to high strength threadlocker (Blue)
	70	High strength threadlocker (Green)
	90	Penetrating grade, high strength threadlocker (Green)
Retaining Compounds		
Available Sizes: 5ml / 10ml / 50ml / 250ml <i>(48 Only Available in 50ml / 250ml due to viscosity.)</i>	01	Medium-high Strength retainer (Green)
	38	High strength retainer (Green)
	41	Medium strength bearing retainer (Yellow)
	48	High temp / high strength retainer (Green)
Threaded Pipe Sealants		
Available Sizes: 50ml / 250ml Tubes <i>(42 available in: 10ml / 20ml / 250ml bottles)</i>	42	Hydraulic pipe sealant (Brown)
	72	Slow, high temp, PTFE pipe sealant (Off-White)
	77	Fast, general purpose pipe sealant (Yellow)
	65	Fast, lubricating, pipe sealant (Off-White)
Liquid Gaskets Makers		
Available Sizes: 50ml / 250ml Tubes	10	High temp instant gasket (Red)
	18	Form-in-place gasket maker (Red)
	74	General purpose gasket maker (Orange)

What Can We Offer?

Full Colour Digital Print

Digital print allows us to print full colour labels in CMYK (Cyan, Magenta, Yellow and Key aka Black), on demand.

Products Filled In-house

We can decant most grades to order so this means along side our state of the art print facility, we can provide customers with a variety of grades at a fair price, with a fast turn around; usually 3 to 5 working days (sooner if possible).

No Minimum Order Quantity (MOQ)

Due to our flexibility and short production runs, we are able to offer low quantities of products, this benefits our customers by reducing stock holding of perishable products that can be ordered in small batches more frequently.

Quality Products

We offer quality adhesive products manufactured in the UK.

• Order what you need; no MOQ • A variety of packaging options • Quality UK manufactured products • In-house adhesive filling and label printing • Full colour CMYK digital print • Fast turn around, usually 3-5 days lead time

Cyanotec Ltd,
Bay 2 Building 62,
Third Avenue,
Pensnett Trading Estate,
Kingswinford,
West Midlands DY6 7XT

📞 01384 294 753
✉ sales@cyanotec.com
🌐 cyanotec.com in X 📺 f 📷

CYANOTEC
CREATING BONDS SINCE 2002

PROCURE[®]

CYANOACRYLATE PRODUCTS



Industrial Grade Cyanoacrylate Adhesives

Including: surface insensitive, general purpose, gels, low odour, toughened, accelerators, primer and de-bonder.

UK Manufactured Instant Adhesives

CYANOTEC

Procure is a registered trademark of Cyanotec Limited.



High Performance Cyanoacrylate Adhesives

- **Fast Cure**
- **Surface Insensitive**
- **For Difficult to Bond Substrates**

The Procure[®] high-performance cyanoacrylate adhesives range provides enhanced curing speeds and surface-insensitive properties, allowing them to effectively bond a wide variety of substrates, including challenging materials such as plastics and rubbers.

Each product within this performance range presents its unique features and benefits.




PC1144

- **Fast Cure**
- **Low Viscosity**

Available Sizes:
20a/50a/500a

Ultra-fast curing, penetrating grade for strong bonds on well-mated, non-porous substrates like nitrile and ABS.

Low Viscosity: **5 cPs**



PC06

- **Fast Cure**
- **Low Viscosity**

Available Sizes:
20a/50a/500a

Formulated for fast bonding of rubbers and plastics such as Nylon, PBT, PEI, polyurethane and EPDM.

Low Viscosity: **20 cPs**

At Cyanotec, we offer personalised guidance to find the right solution for you. If you know the product you need, call us at 01384 294 753 or email your specifications to sales@cyanotec.com for a prompt quote.



PC95

- **Fast Cure**
- **Low Viscosity**

Available Sizes:
20a/50a/500a

Designed to wick into assembled parts, effectively bonds most materials and difficult to bond substrates like rubbers and plastics.

Low Viscosity: **40 cPs**



PC01

- **Fast Cure**
- **Medium Viscosity**

Available Sizes:
20a/50a/500a

Used in difficult to bond applications. Ideal for bonding porous or permeable substrates such as leather, fabric, wood and paper.

Medium Viscosity: **100 cPs**



PC401F

- **Instant Bond**
- **Medium Viscosity**

Available Sizes:
20a/50a/500a

This grade provides quick cure speeds on various substrates, perfect for fast-paced assembly lines requiring near-instant bonding.

Medium Viscosity: **100 cPs**

Multi Purpose Cyanoacrylate Adhesives

- Industrial Grade CA
- A Range of Viscosities
- For Multiple Materials

The Procure® Multi-Purpose cyanoacrylate adhesives range provides a diverse range of viscosities for bonding a wide range of materials and bond gaps. Each product within this range presents its own unique features and benefits.

PC20

- Fast Cure
- Penetrating Grade

Available Sizes:
20a/50a/500a

Designed to bond close-fitting, non-porous surfaces, including rubber, metals, plastics, and glass.




PC24

- Fast Cure
- Medium Viscosity

Available Sizes:
20a/50a/500a

Designed for industrial bonding where a medium to fast cure and larger gap fill is required.




PC50

- Fast Cure
- Medium Viscosity

Available Sizes:
20a/50a/500a

A medium viscosity cyanoacrylate adhesive, designed for effectively filling and bridging larger bond gaps.




PC07

- Fast Cure
- Medium Viscosity

Available Sizes:
20a/50a/500a

Medium to high viscosity cyanoacrylate adhesive effectively fills and bonds larger gaps.




PC16

- Fast Cure
- High Viscosity

Available Sizes:
20a/50a/500a

Thick Industrial CA - Excellent gap-filling capabilities on vertical, rough and irregular surfaces. suitable for wood, uPVC and metals.




PC22

- Slow Cure
- High Viscosity

Available Sizes:
20a/50a/500a

An industrial-grade cyanoacrylate, for bonding of rough or irregular surfaces, suitable for most metals, plastics, and rubbers.




PC09

- Standard Cure
- Non Drip - Gel

Available Sizes:
20a

a standard curing, non drip cyanoacrylate gel. Specially formulated to allow time for alignment of parts before curing.




PC54

- Fast Cure
- Non Drip - Gel

Available Sizes:
20a

a faster curing, non drip cyanoacrylate gel. Suitable for bonding metals, wood, rubbers and plastics.




Gel

- Non Drip
- Gap-Filling
- Vertical Applications

The Procure® Gel cyanoacrylate adhesives are designed to provide excellent gap-filling capabilities on vertical, and overhead surfaces.



Request a Quote

At Cyanotec, we are committed to providing you with personalized guidance to identify the most suitable solution for your needs. If you are aware of the product you require and would like to receive a quote, please feel free to call us at 01384 294 753. Alternatively, you may email your specifications to sales@cyanotec.com, and we will promptly prepare a quote for you.

Low Odour, Low Bloom Cyanoacrylate Adhesives

- Improved User Comfort
- Low Whitening on Bonded Joints
- Essential when Appearance is Important



Cyanoacrylate adhesives are known to emit a distinctive odour, and in high-moisture environments, users may observe a whitening or blooming effect on the edges of the bonded components. The PROCURE® Low Odour range are high-purity cyanoacrylate adhesives that feature low odour and minimal blooming characteristics. These products are specifically designed for applications where maintaining product appearance is crucial.



PC08

- Fast Cure
- Low Viscosity

Available Sizes:
20a/50a/500a

Designed to wick into assembled parts, effectively bonds most materials and difficult to bond substrates like rubbers and plastics.

Low
5 cPs



PC60

- Fast Cure
- Low Viscosity

Available Sizes:
20a/50a/500a

Ultra-fast curing, penetrating grade for strong bonds on well-mated, non-porous substrates like nitrile and ABS.

Medium
100 cPs



PC03

- Instant Bond
- Medium Viscosity

Available Sizes:
20a/50a/500a

This grade provides quick cure speeds on various substrates, perfect for fast-paced assembly lines requiring near-instant bonding.

High
1200 cPs

At Cyanotec, we offer personalised guidance to find the right solution for you. If you know the product you need, call us at 01384 294 753 or email your specifications to sales@cyanotec.com for a prompt quote.



Toughened Cyanoacrylate Adhesives

- Improved Flexibility
- Higher Temperature Resistance
- Enhanced Peel and Impact Resistance



Procure® Rubber Toughened cyanoacrylate adhesives provide enhanced adhesion at elevated temperatures and are specially formulated to offer improved flexibility, peel, and impact resistance compared to standard cyanoacrylates.

Formulated for enhanced flexibility makes these adhesives particularly suitable for bonding dissimilar materials that may expand and contract at varying rates, such as different types of metals. Each product within this range presents unique features and benefits.

PC80
 • Black - High Temp
 • Medium Viscosity
Available Sizes:
 20a/50a/500a

A black rubber toughened, high temperature, medium viscosity cyanoacrylate adhesive.

PC35
 • High Temp
 • High Viscosity
Available Sizes:
 20a/50a/500a


A clear rubber toughened, high temp, high viscosity cyanoacrylate adhesive.

PC85
 • High Temp
 • High Viscosity
Available Sizes:
 20a/50a/500a

A clear rubber toughened, high temp, higher viscosity cyanoacrylate adhesive.

PC1473
 • Black - High Temp
 • High Viscosity
Available Sizes:
 20a/50a/500a

A black rubber toughened, high temperature, high viscosity cyanoacrylate adhesive.



The graph depicted is not scientific and is for guidance only.

Rubber Toughened

PROCURE®

Cyanoacrylate Adhesives



Request a Quote

At Cyanotec, we are committed to providing you with personalized guidance to identify the most suitable solution for your needs. If you are aware of the product you require and would like to receive a quote, please feel free to call us at 01384 294 753. Alternatively, you may email your specifications to sales@cyanotec.com, and we will promptly prepare a quote for you.

Activators for Cyanoacrylate Adhesives

- Instant Reliable Bonding
- Specialist Formulations for Specific Materials
- Improved 2nd Generation DMPT-Free Activators



We have developed a new **DMPT Free** range of cyanoacrylate activators. Working with one of the UK's leading cyanoacrylate chemists, we have created a safer, more effective range of DMPT-free activators. Our thorough testing against existing products has improved both performance and surface application. The safer formulation results in reduced information on the safety data sheet whilst out-performing other products in the market, leading us to refer to them as **second-generation DMPT-free activators**.

Aerosol Activators



PC756

- Wood Formulation
- Porous Materials

Available Sizes:
200ml Aerosol

Accelerates cure times, suits porous material applications such as woodworking and furniture assembly.



PC786

- Plastic Formulation
- No Stain on uPVC

Available Sizes:
200ml Aerosol

Delivers fast and reliable curing while eliminating the risk of staining. Suits glazing, upvc and soffit applications.



PC796

- Fast Acting Formula
- Industrial Activator

Available Sizes:
200ml Aerosol

Fast acting industrial formulation. Suits manufacturing, assembly, and industrial repair applications.



Liquid Activator



PC796

- Liquid Formulation
- Fast Acting Formula

Available Sizes:
20ml/50ml/1ltr

Liquid form of our fast acting industrial grade cyanoacrylate activator. Applied by brush or pump spray.



Cyanoacrylate Adhesive Surface Preparation



PC77

- For Difficult Plastics
- Improves Adhesion

Available Sizes:
20ml/50ml/1ltr

Cyanoacrylate Primer enables the adhesion of difficult to bond substrates such as low energy plastics (polypropylene, polyethylene, silicon rubber and even PTFE).



PC68

- Skin Safe Formula
- Disassemble Parts

Available Sizes:
20ml/50ml/1ltr

Cyanoacrylate Debonder removes uncured adhesive, small cured spots, and is suitable for debonding skin (*should not be used to de-bond eyelids or lips*).

Cyanoacrylate Adhesive Dispensing

We stock a large variety of metal and plastic nozzle tips used to dispense fine amounts of adhesives for precise applications. These nozzles can be fitted directly onto our standard Procure Cyanoacrylate, Procure UV and Lockfast anaerobic products to offer fine bond lines and a controlled flow of thinner grade adhesives. We offer a range of sizes in different gauges allowing you to select the right one for your application needs.

Nozzles

Metal Tip Nozzles



Constructed from durable metal, these metal tip nozzles are ideal for industrial and professional applications, Compatible with standard adhesive dispensing bottles, machinery and tools.

Tapered Tip Nozzles

Plastic tapered tip nozzles used to dispense fine amounts of adhesives for precise applications.

Micro Tips

Extended dispensing tips for glue bottle nozzles. Micro-tips are absolutely essential for precision work, allowing for delicate control over the precise amount of adhesive dispensed.

Gauge Chart	Size Indicator	•	•	•	•	•	•	•	•	•	•	•
			Metal Tip	17	18	19	20	21	22	23	24	25
	Tapered Tip		18		20		22			25		
	Colour											



Request a Quote

At Cyanotec, we are committed to providing you with personalized guidance to identify the most suitable solution for your needs. If you are aware of the product you require and would like to receive a quote, please feel free to call us at **01384 294 753**. Alternatively, you may email your specifications to sales@cyanotec.com, and we will promptly prepare a quote for you.

LOCKFAST®

ENGINEERING ADHESIVES



Premium Performance
Realistic Price

UK manufactured threadlockers, sealants
and retaining compounds.

Trusted by Engineers **Since 1993**

CYANOTEC

Lockfast is a registered trademark of Cyanotec Limited.



Anaerobic Adhesives

Lockfast high performance, solvent-free, anaerobic adhesives are designed to cure in the absence of air on metal fitting parts. The perfect solution for any of your retaining, thread-locking, sealing and gasketing jobs. Feel free to contact our team for further advice.

Threadlocking



T22 Low Strength Non-Permanent Bond
SCREWLOCK

Purple, low strength, low viscosity thread locker. Ideal for small diameter screws and low strength materials.

Available Sizes:
10ml/50ml/250ml Bottle



T42 Medium Strength Semi-Permanent Bond
NUTLOCK

Blue, medium strength, general purpose thread locker. Suits less active substrates such as stainless steel.

Available Sizes:
10ml/50ml/250ml Bottle



T43 Medium-High Strength Oil Tolerant
NUTLOCK

Blue, medium strength, oil-tolerant nutlock. Suits fasteners, with minor oil contaminants.

Available Sizes:
10ml/50ml/250ml Bottle



T70 High Strength Permanent Bond
STUDLOCK

Green, high strength studlock for permanent locking of threaded fasteners in heavy duty applications.

Available Sizes:
10ml/50ml/250ml Bottle



T90 High Strength Penetrating Grade
PRE-ASSEMBLED THREADLOCK

Green, high strength, very low viscosity Threadlocker designed for pre-assembled threaded fasteners.

Available Sizes:
10ml/50ml/250ml Bottle

Retaining Compounds



R01 Strength Permanent Bond
RETAINER

Green, medium to high strength, low viscosity retaining compound. Ideal for filling small gaps.

Available Sizes:
10ml/50ml/250ml Bottle



R41 Medium Strength Bearing Fit
RETAINER

Yellow, medium strength, medium viscosity retaining compound. Ideal for bearing fit applications.

Available Sizes:
10ml/50ml/250ml Bottle



R38 Ultimate Strength Oil Tolerant
RETAINER

Ultimate strength, green, high viscosity and oil tolerant retaining compound.

Available Sizes:
10ml/50ml/250ml Bottle



R48 High Strength High Temperature
RETAINER

Green, high strength, low viscosity and high temperature resistant. Suits clearance or press fit applications.

Available Sizes:
50ml/250ml Bottle

Benefits of using Anaerobic Adhesives:

- Resistant to Vibration
- Locks and Seals
- Only Cures in Joint



Request a Quote

At Cyanotec, we are committed to providing you with personalized guidance to identify the most suitable solution for your needs. If you are aware of the product you require and would like to receive a quote, please feel free to call us at 01384 294 753. Alternatively, you may email your specifications to sales@cyanotec.com, and we will promptly prepare a quote for you.

Threaded Pipe Sealants



H42 Low-Medium Strength
Oil Resistant

HYDRAULIC SEALANT 

Brown, low to medium strength, oil resistant pipe sealant. Ideal for fine threaded hydraulic and pneumatic fittings.

Available Sizes:
10ml/50ml/250ml Bottle




P77 General Purpose
Fast Cure

PIPE SEALANT

Yellow, general purpose, fast cure pipe sealant. Seals and locks threaded metal pipes and fittings.

Available Sizes:
50ml/250ml Bottle Tube



P65 Instant Low Pressure Seal
Fast Cure

PIPE SEALANT

Off white, fast cure, instant low pressure pipe sealant. Suits coarse threads, lubricating properties.

Available Sizes:
50ml Bottle Tube



P72 with P.T.F.E
High Temperature

PIPE SEALANT 

Off white, slow cure, high temperature pipe sealant with PTFE. Suits coarse threads, allows time for adjustments.

Available Sizes:
50ml/250ml Bottle Tube

Instant Gaskets & Flange Sealants



G10 Slow Cure
High Temperature
Chemical Resistant

GASKET MAKER 

Light red, heat and chemical resistant gasket maker. Suits rigid metal assemblies.

Available Sizes:
50ml/250ml Bottle Tube



G18 Medium Strength
Chemical Resistant

GASKET MAKER 

Red, fast cure, semi flexible, general purpose gasket maker. Suits casted iron, steel and aluminium assemblies.

Available Sizes:
50ml Bottle



G74 Instant Gasket
Oil Tolerant

MULTI GASKET 

Orange, fast cure, semi rigid, general purpose gasket maker. Suits cast iron assemblies and pump housings.

Available Sizes:
50ml/250ml Bottle Tube

We could save you time and money!

See our adhesive cross-reference chart on page 23 for suitable replacements for other popular brands of anaerobic adhesives.

page 23

2 Part Adhesives

Structural Adhesives

Acrylic (MMA) Adhesives

Lockfast 1:1 and 10:1 structural methacrylate adhesives.

1:1 Acrylics

Product	Packaging
LF121 Pink & Green	25ml Syringe
LF121 Pink & Green	400ml Kit
82105 1:15 Min MMA Grey	400ml Cartridge
82115 1:15 Min MMA Grey	400ml Cartridge
82005 1:15 Min MMA Clear	50ml Cartridge

10:1 Acrylics

81110 10:1 10 Min MMA Grey	50ml/490ml Cartridge
81120 10:1 20 Min MMA Grey	50ml/490ml Cartridge
81130 10:1 30 Min MMA Grey	50ml/490ml Cartridge
81215L 10:1 15 Min Low Odour MMA Black	50ml/250ml/490ml



Epoxy Adhesives

Lockfast ultra clear, epoxy adhesive. Ideal for bonding and filling a wide range of substrates. Feel free to contact our team for further advice.



Product	Packaging
LF220 5 Min Epoxy	25ml Syringe

Epoxy Repair Sticks

Lockfast epoxy putty compounds, for your maintenance and quick repair needs. Ideal to bond, fill and rebuild parts.

Product	Packaging
Steel Repair Stick	90mm/175mm Tube
Aluminium Repair Stick	175mm Tube
Aqua Repair Stick	175mm Tube



Rigid PU Adhesive

Lockfast PU Resins are a 2-part system, designed to allow fast and easy repairs to plastic parts.

Product	Packaging
5601 Rigid 1 Min	50ml Cartridge



Request a Quote

At Cyanotec, we are committed to providing you with personalized guidance to identify the most suitable solution for your needs. If you are aware of the product you require and would like to receive a quote, please feel free to call us at 01384 294 753. Alternatively, you may email your specifications to sales@cyanotec.com, and we will promptly prepare a quote for you.

PROCURE^W

LIGHT CURING ADHESIVES



UV Adhesives

A range of high quality light curing adhesives for instant bonding, repairing, potting and encapsulating.

CYANOTEC

Procure is a registered trademark of Cyanotec Limited.

Light Curing Adhesives

Procure[®] UV offers crystal clear, precision adhesion for a variety of bonding applications. Designed to cure rapidly when exposed to UV light, these adhesives provide a host of bonding and potting solutions across many industries.

Glass

Procure[®] UV adhesives for glass are ultra-clear, and can be used for a wide range of glass, metal and plastic assemblies.

Product	Viscosity	Description	Packaging
  94116	100	Low viscosity, low bubble formation, good flow.	30ml Syringe/50ml/1ltr Bottle
  94130	2200	General bonder, high viscosity.	30ml Syringe/50ml/1ltr Bottle
  94152	19000	High strength, high viscosity bonder.	30ml Syringe/50ml/1ltr Bottle



Plastic

Procure[®] UV adhesives for plastic, ideal for bonding or potting a range of plastic materials, these include PVC, PC, PET, ABS, Polyurethane, Acrylic, Polysulfone, PETG, Polystyrene, PEEK, Polyimide, PV Alloys, Composites, Nylon, FRP, plastic lamination and plastic housing assemblies.

Product	Viscosity	Description	Packaging
  94320	500	Housing assembly and window bonding, high viscosity.	30ml Syringe/50ml/1ltr Bottle
  94326	6000	Display, aerospace, automotive assembly and potting, high viscosity.	30ml Syringe/50ml/1ltr Bottle



Optical

Procure[®] UV adhesives for lenses. Designed to bond glass to itself and a wide variety of metal surfaces including glass lenses, prisms, and mirrors for the transportation industry.

Product	Viscosity	Description	Packaging
  94435	1200	Bonding of lenses, prisms and fibre optic butt bonding, high viscosity.	30ml Syringe/50ml/1ltr Bottle
  94450	11000	Bonding of lenses, prisms and fibre optic butt bonding, high viscosity.	30ml Syringe/50ml/1ltr Bottle



Request a Quote

At Cyanotec, we are committed to providing you with personalized guidance to identify the most suitable solution for your needs. If you are aware of the product you require and would like to receive a quote, please feel free to call us at **01384 294 753**. Alternatively, you may email your specifications to sales@cyanotec.com, and we will promptly prepare a quote for you.

Windscreen

Procure® UV adhesives for windscreens can be used for a range of windscreen potting and chip repairs.



Product	Viscosity	Description	Packaging
94200	10	Wicking grade for hairline cracks, ultra-low viscosity.	10ml Dropper Bottle/30ml Syringe/50ml/1ltr Bottle
94220	20	Low viscosity for star and hairline cracks.	10ml Dropper Bottle/30ml Syringe/50ml/1ltr Bottle
94240	40	Medium viscosity for star cracks and bullseye repair.	10ml Dropper Bottle/30ml Syringe/50ml/1ltr Bottle
94500	900	High viscosity for pit fill repair.	10ml Dropper Bottle/30ml Syringe/50ml/1ltr Bottle



Medical

Procure® UV adhesives for medical equipment can be used for a wide range of disposable medical equipment such as syringes, respiratory masks, tube sets, catheters, etc.



Product	Viscosity	Description	Packaging
94011	600	Needle hub bonder, high viscosity.	30ml Syringe/50ml/1ltr Bottle
94025	5000	Tube set oxygenators and reservoirs, high viscosity.	30ml Syringe/50ml/1ltr Bottle
94027	1200	Face masks, tube sets and fittings, high viscosity.	30ml Syringe/50ml/1ltr Bottle
94031	150	Highly plasticised grade for masks and butterfly sets, medium viscosity.	30ml Syringe/50ml/1ltr Bottle



Electronics

Procure® UV adhesives for electronics can be used for a wide range of electronic assembly applications such as potting, encapsulation, glob top, etc.



Product	Viscosity	Description	Packaging
94710	18000	High viscosity encapsulant glob top application.	30ml Syringe/50ml/1ltr Bottle
94725	700	Potting and tamper proofing, medium viscosity.	30ml Syringe/50ml/1ltr Bottle
94750	175	Tough, fast cure conformal coating, medium viscosity.	30ml Syringe/50ml/1ltr Bottle
94760	50000	Potting and encapsulation grade, high viscosity.	30ml Syringe/50ml/1ltr Bottle



MITRELOCK®

PROFESSIONAL WOOD ADHESIVES



STEP 1.

Spray Activator on to one surface and allow to dry.



STEP 2.

Apply Adhesive to the other surface.



STEP 3.

Assemble parts.
Locks in seconds.

LOCKS IN SECONDS

Safer, Stronger and Now DMPT-Free.



CYANOTEC

Mitrelock is a registered trademark of Cyanotec Limited.



New Improved Formulation

- *Greater Depth of Cure – Final bond stronger than wood*
- *Fast on Command Cure*
- *Non-hazardous Active Ingredients*
- *Improved Performance Consistency*
- *Longer On-Part Life*
- *Internal and External Use*

The Mitrelock® Mitre Adhesive Kit features a 50g tube of mitre glue and an activator.

Designed primarily for securing mitre joints in skirting boards, picture frames, and similar profiles, it is also suitable for bonding various other natural porous surfaces.

The product provides clean, strong, and precise joints without the need for clamping, ensuring an efficient application process. Enhance your woodworking projects with the upgraded formulation of this trusted mitre kit, offering reliable, durable, and instant bonding of mitred joints. Whether assembling decorative trim or constructing furniture, this rapid bonding system delivers professional results with ease. The kit enables quick and effective bonding of mitre joints using a safe and user-friendly activator and adhesive, free from hazardous active ingredients. Suitable for materials such as wood, MDF, cork, leather, and other natural porous surfaces.

What is in the kit?

- 50g Mitre Adhesive
- 200ml Aerosol Activator



Cyanotec Ltd,
Bay 2 Building 62,
Third Avenue,
Pensnett Trading Estate,
Kingswinford,
West Midlands DY6 7XT

☎ 01384 294 753
✉ sales@cyanotec.com
🌐 cyanotec.com in X ▶ f @

CYANOTEC
CREATING BONDS SINCE 2002

Wood Working Adhesives

The Mitrelock® range for woodworking is a selection of high-quality adhesives made in Britain for woodworking, turning repairs, and other bonding applications.



Thin Transparent

A thin, transparent, instant adhesive for filling, bonding and strengthening Hairline Cracks in wood.

Used for pen turning, knife making, wood-turning, marquetry, parquetry, jewellery making and antique conservation.



Medium Transparent

A medium, transparent, general purpose instant adhesive.

Used for wooden models, pen components for wood-turning, metals, gemstones, ceramics, metal and other component substrates.



Activator Aerosol

Mitrelock® Aerosol Activator (DMPT-Free) accelerates the cure of instant adhesives, designed for woodworkers, cabinetmakers, and DIY enthusiasts who prioritise speed and precision.



Thick Transparent

A thick, transparent cyanoacrylate adhesive and has good Gap and Void filling capabilities.

Commonly used for crack filling in artisan wooden counters and tabletops, for bowl and spindle wood-turning and creative inlays.



Thick Black

A thick, black, toughened cyanoacrylate adhesive used for strengthening and bonding knots in wood-turning, highlighting the knot as a feature rather than a fault in the timber.



Micro Tips 10 Pack

Mitrelock Adhesive Microtips for improved control over the amount of glue applied.



Request a Quote

At Cyanotec, we are committed to providing you with personalized guidance to identify the most suitable solution for your needs. If you are aware of the product you require and would like to receive a quote, please feel free to call us at **01384 294 753**. Alternatively, you may email your specifications to sales@cyanotec.com, and we will promptly prepare a quote for you.

ADHESIVE CONVERSION CHART

Cyanotec Grades		3M	Bondloc	Cyberbond	Hernon	Loctite	Loxal	Permabond
Cyanoacrylate Adhesives								
High Performance	PC01	SF100	B401	2610	135	401	45, 43	792
	PC06	SF20	B406	2008	124	406	32/34	C6, 791
	PC95	SB95 / SI40	B495	2008	113	495	-	105
	PC1144	-	-	-	-	4062	-	-
Multi Purpose	PC07	-	-	-	-	407	-	-
	PC16	SB16	B415	2077	117	416	27	C8, 798, 200
	PC20	SB20 / SI5	-	2000	119	420	-	C1, 790, 101
	PC22	PR1500	-	-	121	422	17	C4, 240, C22
	PC24	-	-	2028	-	424	23	C2, 102
PC50	-	-	-	-	450	-	-	
Low Odour	PC03	LO1000	B403	-	-	403	-	-
	PC08	LO5	-	-	107	408	61	-
	PC60	LO100	B460	5008	136	460	63	C5, 932
Rubber Toughened	PC80	-	B480	2241	125	480	29	-
	PC35	SI100	-	2244	-	435	-	-
	PC85	-	-	-	-	485	-	-
	PC1473	-	-	-	-	4211	-	-
Gel	PC09	SB09 / SI Gel	-	-	127	409	-	-
	PC54	PR / CA50 Gel	B454	2999	138	454	-	799
Support Products	PC756 Activator	-	-	-	-	SF 7113	-	-
	PC786 Activator	-	B7455	-	-	SF 712	-	-
	PC796 Activator	-	-	-	-	SF 7458 / SF 7455	-	-
	PC77 Primer	-	B770	9050/9056	-	SF 770	-	-
	PC68 DeBonder	-	-	-	-	SF 768	-	-
Anaerobic Adhesives								
Threadlockers	T22	TL22	B222	TM11/7222	420	222	24-18	A113
	T42	TL42	B242	-	423	242	54-03	A115
	T43	TL43	B243	TM44/7243	434	243	55-03	A130
	T70	TL71	B270	TM66	424/427	270	83-54	A1046/A128
	T72	TL72	B272	TH68/7277	428	272	86-72	A120
	T90	TL90	B290	RL65/7290	431	290	70-14	A126
Retaining Compounds	R01	-	B601	RL67/7609	822	601	82-21	A148
	R20	RT20	B620	RH98/7620	842	620	86-86	A118
	R38	RT38	B638	RH99	42633	638	85-21	HM161
	R41	RT41	B641	-	827	641	53-11	A025
	R48	-	B648	RM88/7640	844	648	83-21	HL138
Gasket Makers	G10	GM10	B510	SH55/7510	-	510	59-10	MH196
	G18	GM18	B518	SH58/7518	916	518	58-31	MH199
	G74	-	B574	-	905	574	58-14	A136
Pipe Sealants	H42	HP69	B542	SM40/7569	946	542	53-14	A1042
	P65	PS65	B565	-	923	565	-	LH150
	P72	-	B572	-	930	572	18-Oct	-
	P77	-	B577	SH27/7577	921	577	58-11	A1044

Cyanotec Ltd,
 Bay 2 Building 62,
 Third Avenue,
 Pensnett Trading Estate,
 Kingswinford,
 West Midlands DY6 7XT

📞 01384 294 753

✉ sales@cyanotec.com

🌐 cyanotec.com in X YouTube Facebook Instagram

CYANOTEC
 CREATING BONDS SINCE 2002

CYANOTEC

CREATING BONDS SINCE 2002

 **Cyanotec Ltd,**
Bay 2 Building 62,
Third Avenue,
Pensnett Trading Estate,
Kingswinford,
West Midlands DY6 7XT

 **01384 294 753**

 **sales@cyanotec.com**

 **cyanotec.com**     



FS 87162